



Recommended Hardware Specifications

February 2011

Hardware philosophy

Incisive Software is not aligned with any one hardware supplier, or a particular brand of hardware. We believe this enables you to negotiate the best possible deal with the supplier of your choice and to have the confidence of non-biased recommendations.

However, we can assist you by helping define what your hardware requirements are likely to be and to offer recommendations for suitable hardware suppliers whom we have worked with before.

We do recommend that all hardware configurations are checked with us before purchase.

We strongly recommend quality hardware supplied by a local supplier who can provide efficient and prompt 'after sales' service. For the more specialised devices such as thermal label printers or document scanners we are able to source these items at less than retail prices.

Where networks are involved, ensure that the same hardware supplier will be carrying out, or is involved with, the network installation or upgrade.

Operating Platform

Unless otherwise specified, all Incisive applications are designed to be installed on the Microsoft Windows 32 or 64 bit operating system, on the user's workstation.

Incisive applications are developed using 32bit tools, so the preference is for 32bit operating system. Generally they will run on 64bit operating systems without any significant problems but you will need to make sure that the device drivers (printers etc.) can run on the 64bit version. 32bit ODBC drivers are needed to connect to the database.

Incisive applications do not run on the Apple or Linux operating systems. It is, however, possible to install Microsoft Windows in special environments within the Apple or Linux systems and run the Incisive applications.

Backup system

A good backup system is mandatory. It is your responsibility to make sure that the backup occurs, the data is valid, and that the data can be restored to a working state.

For larger systems, a tape backup system should be installed onto your computer. Do not purchase the cheap brands as they consistently fail.

For smaller systems, a good, reasonably priced backup system that is currently very popular is 'writable DVD's, or external hard drives

Your data is put onto tapes, or other electronic media, which should be kept off-site. In the event of a major hardware failure, or the building burning down, the data can then be recovered from the backup media.

If your staff are regularly working late or the computers are frequently not turned off at night you should consider using backup software that can include a file that is being used by another computer. Usually, any files that are open are skipped by the backup software and this may mean that your main database is not being backed up.

If using SQL Server as the database you can configure the backup to perform Transaction Log backups at frequent intervals during the day and then perform a Full backup at the end of the day.

It is not the responsibility of Incisive Medical Systems to ensure that the correct files are being backed up, that the backup media is capable of retaining data, or that regular backups are being actioned.

STANDALONE Computer (not networked)

ITEM	MINIMUM	PREFERRED
Processor:	1.8 Ghz	i7, 2.8 Ghz or greater
RAM:	1 Gigabyte	4 Gigabytes (4096 MB)
Monitor:	17 inch monitor running a resolution of at least 1024x768 at 16 bit colour	19 inch LCD monitor (not widescreen) with resolution of at least 1024x768 at 24 bit colour
Graphics card:	SVGA graphics card	SVGA graphics card with minimum 512Mb on-board RAM and dual-screen capability
Hard Disk:	80 GB - 7200 rpm	320 GB or greater – 7,200 rpm (or faster)
CD/DVD	CD/CD-RW	CD/CD-RW/DVD/DVD+RW
Backup system:	Writeable CD Rom or External hard drive	Tape drive, or Writeable DVD, or External hard drives (x2), plus Online internet storage
Ports:	1 USB & 1 Parallel port	3 (or more) USB 2.0 ports
ADDITIONAL:		
Laser Printer:	Any Windows supported laser printer. NB Only laser printers supported	Hewlett Packard printer –multi bin paper trays more convenient Don't use Multi-Function Printers (MFP)
Label Printer:	Dymo Label Writer 400	Dymo Label Writer 400
Modem:		56k External modem If faxing is required the modem must support Class 0, Class 1, Class 1.0, Class 2 & Class 2.0 fax. Modems that use proprietary API's are not supported.
Scanner:	Any scanner, TWAIN compliant	Fujitsu fi-6120c2 document scanner TWAIN compliant. USB or SCSI connection
Internet:	Dial-up connection	Broadband 512Mb or faster
OTHER SOFTWARE:		
Operating Systems:	Windows 2000, XP Professional, Vista Business (32 bit)	Windows 7 Professional (32bit)
.NET Framework:		Version 2
Remote Control:	Microsoft Remote Access, or TeamViewer	Microsoft Remote Desktop with VPN, or TeamViewer
Backup software:	Microsoft Backup	Veritas Backup Exec w/ SQL module, and Incisive Online Backup
Database:	MS Access (supplied by Incisive)	MS SQL Server 2008 R2
Anti-virus:	Avira, NOD32, F-Prot, Fortinet	Avira, NOD32, F-Prot, Fortinet
Secure messaging:		HealthLink, Argus, Medical Objects

WORKSTATION Computer (networked to server)

ITEM	MINIMUM	PREFERRED
Processor:	1.8 Ghz	i7, 2.8 Ghz or greater
RAM:	1 Gigabyte	4 Gigabytes (4096 MB)
Monitor:	17 inch monitor running a resolution of at least 1024x768 at 16 bit colour	19 inch LCD monitor (not widescreen) with resolution of at least 1024x768 at 24 bit colour
Graphics card:	SVGA graphics card	SVGA graphics card with minimum 512Mb on-board RAM and dual-screen capability
Hard Disk:	80 GB - 7200 rpm	80 GB or greater – 7,200 rpm (or faster)
CD/DVD	CD/CD-RW	CD/CD-RW/DVD/DVD+RW
Backup system:	Not required, backup on Server	Not required, backup on Server
Ports:	1 USB & 1 Parallel port	3 (or more) USB 2.0 ports
Network card:	10/100 Mbs Base-T	10/100/1000 Mbs Base-T
ADDITIONAL:		
Laser Printer:	Any Windows supported laser printer. NB Only laser printers supported	Hewlett Packard printer –multi bin paper trays more convenient Don't use Multi-Function Printers (MFP) Shared on network
Label Printer:	Dymo Label Writer, network shared	Dymo Label Writer 400, network shared
Modem:	Not required	Not required
Scanner:	Any scanner, TWAIN compliant	Fujitsu fi-6120c2, or Canon DR2510C document scanner, TWAIN compliant. USB
Internet:	Dial-up connection	Broadband 512Mb or faster, access to router via LAN
OTHER SOFTWARE:		
Operating Systems:	Microsoft Windows XP Professional, Vista Business, Win 7 (32 bit)	Windows 7 Professional (32bit)
.NET Framework:		Version 2
Remote Control:	Microsoft Remote Access, or TeamViewer	Microsoft Remote Desktop with VPN, or TeamViewer
Backup software:	Not required, backup on Server	Not required, backup on Server
Database:	Not required, database on Server	Not required, database on Server
Anti-virus:	Avira, NOD32, F-Prot, Fortinet	Avira, NOD32, F-Prot, Fortinet
Secure messaging:	Not required on workstation	Not required on workstation

SERVER Computer (5 < workstations)

ITEM	MINIMUM	PREFERRED
Processor:	1.8 Ghz	Quad Core, 2.8 Ghz or greater
RAM:	1 Gigabyte (1024 MB)	4 Gigabytes (4096 MB)
Monitor:	17 inch monitor running a resolution of at least 800x600 at 16 bit colour	17 inch monitor running a resolution of at least 800x600 at 16 bit colour
Graphics card:	SVGA graphics card	SVGA graphics card
Hard Disk:	80 GB - 7200 rpm	320 GB or greater – 7,200 rpm (or faster)
CD/DVD	CD/CD-RW	CD/CD-RW/DVD/DVD+RW
Backup system:	Writeable CD Rom or External hard drive	Tape drive, or Writeable DVD, or External hard drives (x2), plus Online internet storage
Network card:	10/100 Mbs Base-T	100/1000 Mbs Base-T
Ports:	1 USB & 1 Parallel port	3 (or more) USB 2.0 ports
ADDITIONAL:		
Laser Printer:	Any Windows supported laser printer. NB Only laser printers supported See comments on Page 8	Network printer recommended
Label Printer:	Dymo Label Writer 400	Not recommended on dedicated server
Modem:		56k External modem If faxing is required the modem must support Class 0, Class 1, Class 1.0, Class 2 & Class 2.0 fax. Modems that use proprietary API's are not supported.
Scanner:	Any scanner, TWAIN compliant	Not recommended on dedicated server
Internet:	Dial-up connection	Broadband 512Mb or faster
OTHER SOFTWARE:		
Operating Systems:	Windows SBS 2003, Windows Server 2003 (32 bit)	Windows Small Business Server (SBS) 2003 or 2011 Premium edition (includes SQL Server) 64 bit
.NET Framework:		Version 2
Remote Control:	Microsoft Remote Access, or TeamViewer	Microsoft Remote Desktop with VPN, or TeamViewer
Backup software:	Microsoft Backup	Veritas Backup Exec w/ SQL module, and Incisive Online Backup
Database:	MS Access (supplied by Incisive)	MS SQL Server 2008 R2
Anti-virus:	Avira, NOD32, F-Prot, Fortinet	Avira, NOD32, F-Prot, Fortinet
Secure messaging:		HealthLink, Argus, Medical Objects

SERVER Computer (5 > workstations)

ITEM	MINIMUM	PREFERRED
Processor:	1.8 Ghz	Quad Core, 2.8 Ghz or greater
RAM:	2 Gigabytes (2048 MB)	8 Gigabytes (or greater if required)
Monitor:	17 inch monitor running a resolution of at least 800x600 at 16 bit colour	17 inch monitor running a resolution of at least 800x600 at 16 bit colour
Graphics card:	SVGA graphics card	SVGA graphics card
Hard Disk:	80 GB - 7200 rpm	300 GB or greater – 10,000 rpm (or faster) Your choice of RAID arrangements
CD/DVD	CD/CD-RW	CD/CD-RW/DVD/DVD+RW
Backup system:	Tape drive, or external hard drives (x2), plus Online internet storage	Tape drive plus Online internet storage
Network card:	10/100 Mbs Base-T	100/1000 Mbs Base-T Dual cards if necessary
Ports:	1 USB & 1 Parallel port	3 (or more) USB 2.0 ports
ADDITIONAL:		
Laser Printer:	Network printer recommended	Network printer recommended
Label Printer:	Not recommended	Not recommended
Modem:		56k External modem If faxing is required the modem must support Class 0, Class 1, Class 1.0, Class 2 & Class 2.0 fax. Modems that use proprietary API's are not supported.
Scanner:	Not recommended on server	Not recommended on dedicated server
Internet:	Dial-up connection	Broadband 512Mb or faster
UPS:		Required
OTHER SOFTWARE:		
Operating Systems:	Windows Server 2003	Windows Server 2008 64 bit if more than 4Gb RAM required
.NET Framework:		Version 2
Remote Control:	Microsoft Terminal Server, or Citrix Metaframe; with VPN	Microsoft Terminal Server, or Citrix Metaframe; with VPN
Backup software:	Veritas Backup Exec w/ SQL module, and Incisive Online Backup	Veritas Backup Exec w/ SQL module, and Incisive Online Backup
Database:	MS SQL Server 2005 or 2008 w/ CALs	MS SQL Server 2008 or 2011 w/CALs
Anti-virus:	Avira, NOD32, F-Prot, Fortinet	Avira, NOD32, F-Prot, Fortinet
Secure messaging:		HealthLink, Argus, Medical Objects
	No other software installed, especially not Microsoft Exchange	

Terminal Services Application Server

If applications are provided via the thin-client architecture of Microsoft Terminal Services, we recommend that a separate server is used exclusively for this purpose.

Note that Incisive products are not specifically certified nor warranted to operate within Terminal Services or Citrix Meta-frame. Settings within the Incisive software allow for some specific configuration..

ITEM	MINIMUM	PREFERRED
Processor:	2.0Ghz	Dual (or Quad) Core, 2.8 Ghz or greater
RAM:	2 Gigabytes (2048MB)	8 Gigabytes or more if using 64 bit Operating System
Monitor:	17 inch monitor running a resolution of at least 1024x768 at 16 bit colour	17 inch monitor running a resolution of at least 1024x768 at 16 bit colour
Graphics card:	SVGA graphics card	SVGA graphics card
Hard Disk:	80 GB - 7200 rpm	300 GB or greater – 7,200 rpm (or faster) Your choice of RAID arrangements
CD/DVD	CD/CD-RW	CD/CD-RW/DVD/DVD+RW
Backup system:	Separate solution	Separate solution
Network card:	10/100 Mbs Base-T	10/100/1000 Mbs Base-T Dual cards if necessary
Ports:	1 USB & 1 Parallel port	3 (or more) USB 2.0 ports
ADDITIONAL:		
Laser Printer:	Network printer recommended	Network printer recommended
Label Printer:	Not recommended	Not recommended
Modem:		56k External modem If faxing is required the modem must support Class 0, Class 1, Class 1.0, Class 2 & Class 2.0 fax. Modems that use proprietary API's are not supported.
Scanner:	Not recommended on server	Not recommended on dedicated server
Internet:	Dial-up connection	Broadband 1024Kb or faster
UPS:		Required
OTHER SOFTWARE:		
Operating Systems:	Windows Terminal Server 2003/2008	Windows Terminal Server 2008 64 bit if more than 4Gb RAM required
.NET Framework:		Version 2 or above
Remote Control:	Microsoft Terminal Server; with VPN	Microsoft Terminal Server , or Citrix Metaframe; with VPN
Backup software:	Not required	Not required
Database:	Not required	Not required
Anti-virus:	Avira, NOD32, F-Prot, Fortinet	Avira, NOD32, F-Prot, Fortinet
Secure messaging:		HealthLink, Argus, Medical Objects

Printers

Document printer

Laser printers are required for all printed material.

Inkjet printers are not suitable except for printing digital patient images.

Do not use Multi-Function-Printers (MFC) because if a fault occurs on any component of the device (eg scanner) it may mean that none of the functions are then available (eg printer).

Only good quality printers from major brands should be used. Our preferred brand is Hewlett Packard (HP)

As we can print envelopes, plain A5, plain A4 or pre-printed A4 with letterhead you should have at least one main printer that has got multiple paper trays.

Speed	25 pages per minute (or faster)
Resolution	600 dpi (or greater)
Bins	Manual feed + Std paper tray Large capacity bin recommended
Printer language	PCL or Postscript (not JetReady or PC compiled printer jobs)
Recommended printer	Hewlett Packard LaserJet P2015 or P4510, or newer models (with accessories as required)

Label printer

Labels can be printed either as a sheet or individually using a special label printer.

As you can create many different types of labels in the software we recommend the special label printer as there is less waste of unused labels.

Speed	16 labels per minute
Resolution	300 dpi
Label size	25mm x 98mm
Transfer type	Direct thermal transfer
Recommended printer	Dymo Labelwriter 400 or Brother QL570

Colour Printers

Colour laser printers should not be used for purposes where a fast printing response is required eg printing receipts at reception, as most colour printer laser printers have a slow 'first page response' time. The delay is often around 20 seconds.

Scanner

A purpose-built document scanner should be used as these are much more efficient on 'file size' and scanning speed than the common flat-bed scanner. It is recommended NOT to use scanners that are incorporated into photocopiers unless the manufacturers can guarantee the full functionality of all the specifications of their TWAIN driver. Contact Incisive for recommended high-speed scanners.

Scanning speed	40 pages per minute (simplex), 20 ppm duplex
Resolution	150 - 1200 dpi
File size	approx. 30 Kb per page
Feeder	Holds 50 sheets, A5 & A4 size, Duplex and colour capable. Fujitsu can detect if two or more pages are being fed at the same time.
Connection	USB or SCSI
Recommended scanner	Fujitsu fi-6130C, or Canon DR2510C

Database

All Incisive products use Microsoft SQL Server as the database management system.

- Express or Standard - Specialist Practice Manager, Private Hospital Manager, InforMED, CPD
- Compact - SurgiPAD

The default database that is supplied with the Incisive products is Microsoft SQL Server 2008 Express. This edition of the program is free to use but it has some limitations. It is suitable for small to medium sized practices and hospitals. If the limitations are reached you will need to separately purchase licenses for the Standard edition of Microsoft SQL Server as they are not included in the Incisive product licenses.

Editions of Microsoft SQL Server 2008

	Core Editions		Specialized Editions			Free Editions	
	Enterprise	Standard	Workgroup	Web	Developer	Express	Compact 3.5
Target Scenarios	Enterprise workloads that need redundancy and built-in Business Intelligence	Shared data scenarios in departments and small to large businesses	Remote offices that need local instances of company data	For web application hosting	Full featured edition for development and testing only	Entry level database, ideal for learning and ISV redistribution	Embedded database for developing desktop and mobile applications
CPU	OS Maximum	4 CPU	2 CPU	4 CPU	OS Maximum	1 CPU	OS Maximum
Memory	OS Maximum	OS Maximum	4 GB	OS Maximum	OS Maximum	1 GB	OS Maximum
DB Size	Unlimited	Unlimited	Unlimited	Unlimited	Unlimited	4 GB	4 GB
Licensing	Server/CAL Per Proc	Server/CAL Per Proc	Server/CAL Per Proc	Per Proc	Developer Tools	Free Editions	
Pricing	Contact Microsoft for details					Free Editions	

Installation & Configuration

It is not the responsibility of Incisive to install the database management system or ensure that it is configured for optimal performance. As many other applications also make use of the SQL Server it is important that the technician looking after your IT system is competent with the management of SQL Server.

SQL Server Management Studio must be installed on at least one computer – preferably the computer that Incisive has remote access to.

For recommendations on the configuration of SQL Server please contact Incisive Medical Systems.

Upgrading to SQL Server

In some practices the run-time edition of Microsoft Access will still be used as the main database. There is an upgrade path to transfer all of the records in the Access database to the SQL Server database. Do not use the tools provided with SQL Server for this process. Contact Incisive Medical Systems for further information.

Backing up

It is not the responsibility of Incisive Medical Systems to provide, configure or ensure the running of a system that takes a copy of the database for back-up purposes. Note that the Express version of SQL Server does not include SQL Server Agent and therefore the backup process cannot be scheduled to run automatically. Third party tools are available to perform this task.

Anti-virus

Adhere to the recommendations from Microsoft regarding virus scanning on an SQL Server.
<http://support.microsoft.com/kb/309422/en-us>

NOTES:

1. The **MINIMUM** specification is provided to indicate the requirements to allow Incisive applications to run. However slow performance, lock-ups and crashes may occur, particularly if other software is running.
2. The **PREFERRED** specification indicates the requirements to allow Incisive applications to run and perform at an optimum level, however higher specifications can be used, and may be needed, if other software is to be run simultaneously.
3. The specifications above may need to be increased if other software is running simultaneously or additional peripheral devices are installed.
 - anti-virus programs increase memory usage.
 - an additional 512 Mb RAM should be added if using voice recognition (eg Dragon) software
 - tape back-up, digital transcribers, smart-card readers etc. use additional memory
4. Notebook computers should have similar specifications to the 'Standalone' computer
5. Power Management features that will automatically put the computer into 'System standby' or 'Hibernation' mode must be disabled. Also disable the power saving function on the network card.
6. If possible, mail servers such as Microsoft Exchange should be installed onto a separate computer.
7. Hard disk size depends on the number of patient records, digital images, scanned documents and other unrelated data to be stored. Extra storage capability should be allowed for.
8. Hard disk speed of 7200 rpm is normally adequate but speeds of 10,000 rpm (or faster) improves retrieval of data for functions involving a lot of disk searching such as monthly statement runs.
9. Network protocols not being used should be removed. TCP/IP is the only protocol required
10. Turn off all non-essential graphical features e.g. Aero interface, transition effects etc.
11. Backup hardware and software is normally installed on the server but can be on any computer on the network as long as the backup hardware is shared to all workstations. Your Technical support office should install and check that the backups are working successfully and validate the restore process on a scheduled basis. It is recommended that backups be done on a daily basis, run overnight and a check put in place for successful completion.
The backup media should then be taken off-site by a security company.
12. A modem or broadband connection will be required for receiving and sending electronic lab results and documents as well as remote control support from Incisive Medical Systems. If you are faxing directly from an Incisive application you will require a modem installed on one of the computers in the network, and a standard telephone line connection.
13. SPM has been tested, and is supported on Microsoft Windows 2000, XP Professional, Windows Server 2003, Windows Server 2008 & Vista Business.
Windows NT, Vista Home, XP Home, ME, 98 and 95 are not supported.
14. User Account Control (UAC) in Microsoft Vista/Win7 is to be turned off for local Administrator accounts.
15. Microsoft Terminal Server should be installed on a server dedicated for the purpose of serving thin-client connections. Microsoft SQL Server should NOT be installed on the same server.
16. The computer/server that is hosting the database should not be used as a workstation as well. This can have a detrimental effect on the speed of the retrieval and delivery of data to the other workstations on the network.
However, this may be unavoidable on a small network (< 3 computers).
17. Internet & email connections
 - A 'Virtual Private Network' (VPN) and 'Firewall' should be established if remote access to the server is required via an internet connection.
 - Updates for the Microsoft operating system and associated software should be downloaded and installed as they become available.
 - High quality virus checking and 'Anti-Spyware' software should be used and the associated definition updates installed as they become available.

WE STRONGLY RECOMMEND THAT THE ONLY SOFTWARE INSTALLED ON A COMPUTER SHOULD BE THAT WHICH IS DIRECTLY REQUIRED FOR THE FUNCTIONING OF THE COMPUTER OR THE RUNNING OF YOUR PRACTICE OR HOSPITAL.